IN THE UNITED STATES DISTRICT COURT

FOR THE DISTRICT OF DELAWARE

SIGHT SCIENCES, INC.,	
Plaintiff,) Redacted - Public Version
v.) C.A. No. 21-1317-GBW-SRF
IVANTIS, INC., ALCON RESEARCH LLC, ALCON VISION, LLC, and ALCON INC.,	
Defendants.)

DEFENDANTS' CONCISE STATEMENT OF FACTS IN SUPPORT OF THEIR MOTION FOR SUMMARY JUDGMENT OF INVALIDITY FOR INDEFINITENESS

OF COUNSEL:
Gregg LoCascio
Sean McEldowney
Justin Bova
Steven Dirks
Socrates L. Boutsikaris
KIRKLAND & ELLIS LLP
1301 Pennsylvania Avenue, N.W.
Washington, DC 20004
(202) 389-5000

Jeanne M. Heffernan Kat Li Ryan J. Melde KIRKLAND & ELLIS LLP 401 Congress Avenue Austin, TX 78701 (512) 678-9100

Ryan Kane Nathaniel DeLucia Emily Sheffield KIRKLAND & ELLIS LLP 601 Lexington Avenue New York, NY 10022 (212) 446-4800 John W. Shaw (No. 3362)
Karen E. Keller (No. 4489)
Andrew E. Russell (No. 5382)
Nathan R. Hoeschen (No. 6232)
SHAW KELLER LLP
I.M. Pei Building
1105 North Market Street, 12th Floor
Wilmington, DE 19801
(302) 298-0700
jshaw@shawkeller.com
kkeller@shawkeller.com
arussell@shawkeller.com
nhoeschen@shawkeller.com
Attorneys for Defendants

Brian A. Verbus Jacob Rambeau KIRKLAND & ELLIS LLP 300 N. LaSalle Chicago, IL 60654 (312) 862-2000

Noah Frank KIRKLAND & ELLIS LLP 200 Clarendon Street Boston, MA 02116 (617) 385-7500

Dated: October 12, 2023

- 1. Sight Sciences, Inc. ("Plaintiff) accuses Ivantis, Inc., Alcon Research LLC, Alcon Vision, LLC and Alcon Inc. ("Defendants") of infringement of the following claims (the "Asserted Claims") from the following patents (the "Asserted Patents"):
 - (i) U.S. Patent No. 8,287,482 ("'482 patent") claims 1, 5, 7-8, 10-11, 15, 18, 21, 23, 32, 36, 38-39, 41-42, 46, 49, 52, 54, 63, 68-70, 73, 77, and 79-80;
 - (ii) U.S. Patent No. 9,370,443 ("'443 patent") claims 1, 8, 11-12, 21, 23-24, 27, 42-43, 46, 52, 54-59, and 70-71;
 - (iii) U.S. Patent No. 9,486,361 ("'361 patent") claims 1-3 and 5-9;
 - (iv) U.S. Patent No. 10,314,742 ("'742 patent") claims 1-3, 6-9, 12-13, 15, and 17-20; and
 - (v) U.S. Patent No. 11,389,328 ("'328 patent") claims 1-2, 4-8, 12-14, 18, 21-23, and 25-26.
- 2. One of these three limitations: "fluid may traverse the canal without substantial interference from the support," "support does not substantially interfere with [longitudinal/transmural] flow," or "does not significantly block fluid outflow" (collectively, "Block Limitation") is recited in each of the following claims:
 - (i) '482 Patent claims 1, 5, 7-8, 10-11, 15, 18, 21, 23, 32, 36, 38-39, 41-42, 46, 49, 52, 54, 63, 68-70, 73, 77, and 79-80;
 - (ii) '443 Patent claims 1, 8, 11-12, 21, 23-24, 27, 42-43, 46, 52, 54-59, and 70-71;
 - (iii) '361 Patent claims 6-8;
 - (iv) '742 Patent claims 17-18; and
 - (v) '328 Patent claims 7-8.
- 3. The Court construed the Block Limitation to mean: "the support does not significantly block either fluid outflow from the trabecular meshwork or fluid outflow to the collector channels." D.I. 287; *see also* D.I. 273 at 6-7.

- 4. The Asserted Patents claim priority to Application No. 11/475,523, filed June 26, 2006. Ex. 1, '482 patent, cover; Ex. 2, '443 patent, cover; Ex. 3, '361 patent, cover; Ex. 4, '742 patent, cover; Ex. 5, '328 patent, cover.
- 5. The Asserted Patents share substantially identical specifications, except that the '443, '742, and '328 patents include an additional Figure 11D. D.I. 118 at 1.
- 6. A person of ordinary skill in the art of the Asserted Patents would have at least an M.D. and residency training in ophthalmology and/or an engineering degree with at least three years of experience in the field of ophthalmic/intraocular implants. *See* D.I. 118 at 4-5; Ex 15, Downs Reb. Rep. ¶ 24, 1073; Ex. 17, Tanna Op. Rep. ¶¶ 17-19.
- 7. The Asserted Patents do not disclose any modeling and/or testing in cadaver eye studies and/or clinical studies. Ex. 24, 9/28/23 Downs Tr. 66:21-67:15; 77:19-79:21; see generally, e.g., Ex. 1, '482 Patent.
- 8. As of June 26, 2006, a POSA would not have been able to measure "blocking" of fluid *in vivo*. Ex. 24, 9/28 Downs Tr. at 107:5-109:16 (stating perfusion studies are not done in patients); 155:2-5 (same); Ex. 25, D. Badawi Tr. 174:24-177:5 (discussing perfusion studies: "the real proof in the pudding is not this, right, because this [perfusion study] is an ex vivo system"); Ex. 24, 9/28 Downs Tr. at 157:14-158:13; 155:20-23 (noting "there's some variance" in the "trabecular meshwork permeability" among individuals); Ex. 18, Tanna Rpl. Rep. ¶ 537.

OF COUNSEL:
Gregg LoCascio
Sean M. McEldowney
Justin Bova
Steven Dirks
Socrates L. Boutsikaris
KIRKLAND & ELLIS LLP
1301 Pennsylvania Avenue, N.W.
Washington, DC 20004
(202) 389-5000

Jeanne M. Heffernan Kat Li Ryan J. Melde KIRKLAND & ELLIS LLP 401 Congress Avenue Austin, TX 78701 (512) 678-9100

Ryan Kane Nathaniel DeLucia Emily Sheffield KIRKLAND & ELLIS LLP 601 Lexington Avenue New York, NY 10022 (212) 446-4800

Brian A. Verbus Jacob Rambeau KIRKLAND & ELLIS LLP 300 N. LaSalle Chicago, IL 60654 (312) 862-2000

Noah S. Frank KIRKLAND & ELLIS LLP 200 Clarendon Street Boston, MA 02116 (617) 385-7500

Dated: October 12, 2023

/s/ Andrew E. Russell

John W. Shaw (No. 3362)
Karen E. Keller (No. 4489)
Andrew E. Russell (No. 5382)
Nathan R. Hoeschen (No. 6232)
SHAW KELLER LLP
I.M. Pei Building
1105 North Market Street, 12th Floor
Wilmington, DE 19801
(302) 298-0700
jshaw@shawkeller.com
kkeller@shawkeller.com
arussell@shawkeller.com
nhoeschen@shawkeller.com
Attorneys for Defendants

CERTIFICATE OF SERVICE

I, Andrew E. Russell, hereby certify that on October 12, 2023, this document was served on zsightsciencesivantis@cooley.com and the persons listed below in the manner indicated:

BY EMAIL

Melanie K. Sharp

James L. Higgins
Taylor E. Hallowell
YOUNG, CONAWAY, STARGATT & TAYLOR LLP
Rodney Square
1000 North King Street
Wilmington, DE 19801
(302) 571-6600
msharp@ycst.com
jhiggins@ycst.com
thallowell@ycst.com

Orion Armon COOLEY LLP 1144 15th Street, Suite 2300 Denver, CO 80202 (720) 566-4000 oarmon@cooley.com

Dustin M. Knight
Joseph Van Tassell
COOLEY LLP
11951 Freedom Drive, 14th Floor
Reston, VA 20190
(703) 456-8024
dknight@cooley.com
jvantassell@cooley.com

Michelle S. Rhyu, J.D., Ph.D. Lauren Strosnick Alissa Wood Angela R. Madrigal Juan Pablo Gonzalez Jeffrey Karr COOLEY LLP 3175 Hanover Street Palo Alto, CA 94305 (650) 843-5000 rhyums@cooley.com lstrosnick@cooley.com amwood@cooley.com jgonzalez@cooley.com amadrigal@cooley.com jkarr@cooley.com

Bonnie Fletcher Price COOLEY LLP 1299 Pennsylvania Avenue, NW Suite 700 Washington, DC 20004 (202) 776-2099 bfletcherprice@cooley.com

/s/ Andrew E. Russell

John W. Shaw (No. 3362)
Karen E. Keller (No. 4489)
Andrew E. Russell (No. 5382)
Nathan R. Hoeschen (No. 6232)
SHAW KELLER LLP
I.M. Pei Building
1105 North Market Street, 12th Floor
Wilmington, DE 19801
(302) 298-0700a
jshaw@shawkeller.com
kkeller@shawkeller.com
arussell@shawkeller.com
nhoeschen@shawkeller.com
Attorneys for Defendants